

~~10455286~~

10-664-165

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:sssptal623hrr

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 SEP 01 New pricing for the Save Answers for SciFinder Wizard within
STN Express with Discover!
NEWS 4 OCT 28 KOREAPAT now available on STN
NEWS 5 NOV 30 PHAR reloaded with additional data
NEWS 6 DEC 01 LISA now available on STN
NEWS 7 DEC 09 12 databases to be removed from STN on December 31, 2004
NEWS 8 DEC 15 MEDLINE update schedule for December 2004
NEWS 9 DEC 17 ELCOM reloaded; updating to resume; current-awareness
alerts (SDIs) affected
NEWS 10 DEC 17 COMPUAB reloaded; updating to resume; current-awareness
alerts (SDIs) affected
NEWS 11 DEC 17 SOLIDSTATE reloaded; updating to resume; current-awareness
alerts (SDIs) affected
NEWS 12 DEC 17 CERAB reloaded; updating to resume; current-awareness
alerts (SDIs) affected
NEWS 13 DEC 17 THREE NEW FIELDS ADDED TO IFIPAT/IFIUDB/IFICDB
NEWS 14 DEC 30 EPFULL: New patent full text database to be available on STN
NEWS 15 DEC 30 CAPLUS - PATENT COVERAGE EXPANDED
NEWS 16 JAN 03 No connect-hour charges in EPFULL during January and
February 2005
NEWS 17 JAN 11 CA/CAPLUS - Expanded patent coverage to include Russia
(Federal Institute of Industrial Property)

NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

10458286

FILE 'HOME' ENTERED AT 15:14:17 ON 13 JAN 2005

=> file registry

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 15:14:28 ON 13 JAN 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 11 JAN 2005 HIGHEST RN 811782-89-5

DICTIONARY FILE UPDATES: 11 JAN 2005 HIGHEST RN 811782-89-5

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>


Uploading C:\STNEXP4\QUERIES\10664165.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 C,H,O,S,N

10458286

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

FULL SEARCH INITIATED 15:14:56 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - >1,000,000 TO ITERATE

< 14.5% PROCESSED 252338 ITERATIONS (1 INCOMPLETE) 3115 ANSWERS

< 20.4% PROCESSED 354173 ITERATIONS (1 INCOMPLETE) 4837 ANSWERS

< 23.1% PROCESSED 400000 ITERATIONS (1 INCOMPLETE) 5511 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.41

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**

BATCH **INCOMPLETE**

PROJECTED ITERATIONS: EXCEEDS 1000000

PROJECTED ANSWERS: EXCEEDS 23432

L2 5511 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

162.19

162.40

FILE 'CAPLUS' ENTERED AT 15:16:00 ON 13 JAN 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 13 Jan 2005 VOL 142 ISS 3

FILE LAST UPDATED: 12 Jan 2005 (20050112/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l2

L3 615 L2

=> s l3 and sodium

961054 SODIUM

L4 35 L3 AND SODIUM

=> s l3 and channels

138103 CHANNELS

L5 1 L3 AND CHANNELS

=> s l3 and "cell membrane"

10458286

1863637 "CELL"
648064 "MEMBRANE"
130812 "CELL MEMBRANE"
("CELL" (W) "MEMBRANE")

L6 1 L3 AND "CELL MEMBRANE"

=> s l3 and blood vessel

1167486 BLOOD
198786 VESSEL
83587 BLOOD VESSEL
(BLOOD (W) VESSEL)

L7 11 L3 AND BLOOD VESSEL

=> s l2 full

L8 615 L2

=> s l8 and bladder

29744 BLADDER

L9 8 L8 AND BLADDER

=> s l8 and bronchial tube

14877 BRONCHIAL
292134 TUBE
36 BRONCHIAL TUBE
(BRONCHIAL (W) TUBE)

L10 0 L8 AND BRONCHIAL TUBE

=> s l8 and bronchial tube

14877 BRONCHIAL
292134 TUBE
36 BRONCHIAL TUBE
(BRONCHIAL (W) TUBE)

L11 0 L8 AND BRONCHIAL TUBE

=> s l8 and neuronal cell

88899 NEURONAL
1863637 CELL
7589 NEURONAL CELL
(NEURONAL (W) CELL)

L12 0 L8 AND NEURONAL CELL

=> s l8 and gastrointestinal tract

11 GASTROINTESTINAL
123036 TRACT
1 GASTROINTESTINAL TRACT
(GASTROINTESTINAL (W) TRACT)

L13 0 L8 AND GASTROINTESTINAL TRACT

=> s l5 or l6 or l7 or l9

L14 19 L5 OR L6 OR L7 OR L9

=> d bib abs l14

L14 ANSWER 1 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:927010 CAPLUS
DN 141:376382
TI Pin1-modulating compounds and methods of use for the treatment of
Pin1-associated diseases, including cancer
IN Bao, Lere; Kimzey, Amy
PA Pintex Pharmaceuticals, Inc., USA
SO PCT Int. Appl., 189 pp.
CODEN: PIXXD2

10458286

DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004093803	A2	20041104	WO 2004-US11957	20040416
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				

PRAI US 2003-463271P P 20030416

AB The invention is directed to modulators, e.g., inhibitors, of Pin1 and Pin1-related proteins and the use of such modulators for treatment of Pin1 associated states, e.g., for the treatment of cancer. The present invention aims to provide photochemotherapeutic compds. with increased specificity as compared with known agents.

=> s bib abs 1-19 hitstr l14

MISSING OPERATOR HITSTR L14

The search profile that was entered contains terms or nested terms that are not separated by a logical operator.

=> d bib abs 1-19 hitstr l14

L14 ANSWER 1 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:927010 CAPLUS

DN 141:376382

TI Pin1-modulating compounds and methods of use for the treatment of Pin1-associated diseases, including cancer

IN Bao, Lere; Kimzey, Amy

PA Pintex Pharmaceuticals, Inc., USA

SO PCT Int. Appl., 189 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004093803	A2	20041104	WO 2004-US11957	20040416
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				

PRAI US 2003-463271P P 20030416

AB The invention is directed to modulators, e.g., inhibitors, of Pin1 and Pin1-related proteins and the use of such modulators for treatment of Pin1 associated states, e.g., for the treatment of cancer. The present invention

N/A

10458286

aims to provide photochemotherapeutic compds. with increased specificity as compared with known agents.


IT 676649-27-7

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(Pin1-modulating compds. for treatment of Pin1-associated diseases, including cancer)

RN 676649-27-7 CAPLUS

CN 3-Thiazolidinebutanoic acid, 5-[(1,2,3,4,4a,9,10,10a-octahydro-6,7-dimethoxy-3-methyl-2-phenanthrenyl)methylene]-4-oxo-2-thioxo- (9CI) (CA INDEX NAME)



L14 ANSWER 2 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:792843 CAPLUS

DN 141:421217

TI Effects of modification at the fifth residue of μ -conotoxin GIIIA with bulky tags on the electrically stimulated contraction of the rat diaphragm

AU Nakamura, M.; Ishida, Y.; Kohno, T.; Sato, K.; Oba, Y.; Nakamura, H.

CS Graduate School of Bioagricultural Sciences, Nagoya University, Nagoya, 464-8601, Japan

SO Journal of Peptide Research (2004), 64(3), 110-117

CODEN: JPERFA; ISSN: 1397-002X

PB Blackwell Publishing Ltd.

DT Journal

LA English

AB μ -Conotoxin GIIIA, a peptide toxin from the cone snail, blocks muscle-type sodium channels. Thr 5 of μ -conotoxin GIIIA, located on the opposite side of the active site in the globular mol., was replaced by Cys to which the bulky tags were attached. The tagged μ -conotoxin GIIIA derivs., except for the phospholipid-tagged one, exerted the biol. activity with a potency slightly weaker than natural μ -conotoxin GIIIA. When the biotinylated tags of various lengths were added, the presence of avidin suppressed the action of the biotinylated toxins of <4 nm, but not with 5 nm. The bulky biotinylated tags are useful as a caliper to measure the depth of receptor sites in the channels.

IT 795300-38-8P

RL: ADV (Adverse effect, including toxicity); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation) (effects of modification at the fifth residue of μ -conotoxin GIIIA with bulky tags on the elec. stimulated contraction of the rat diaphragm)

RN 795300-38-8 CAPLUS

CN INDEX NAME NOT YET ASSIGNED

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***



RE.CNT 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 3 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

10458286

AN 2004:566563 CAPLUS
DN 141:123479
TI Preparation of N-aryl benzamides as histone deacetylase inhibitors
IN Schuppan, Detlef; Herold, Christoph; Gansmayer, Marion; Ocker, Matthias;
Thierauch, Karl-Heinz
PA Schering Aktiengesellschaft, Germany
SO PCT Int. Appl., 249 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004058234	A2	20040715	WO 2003-EP14071	20031211
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	EP 2002-90431	A	20021227		
	EP 2003-90061	A	20030312		
OS	MARPAT 141:123479				
GI					



AB Histone deacetylase inhibitors I [A = (un)substituted Ph or heterocycle; X = bond, alkyl, alkyloxyalkyl, alkylthioalkyl, etc.; Q = amide, urea, amidoester, etc.; n = 0-4 provided that when X = bond, n is not 0; R1 and R2 independently = H, halo, OH, amino, alkyl, etc.; R3 = OH or amino] and their pharmaceutically acceptable salts are prepared and disclosed as agents to be used in pharmaceutical combinations with phthalazine or pyridazine derivs. (disclosed in prior patent WO 98/35958) which are known angiogenesis inhibitors. Thus, e.g., II was prepared via coupling reaction of 3-pyridinemethanol, N,N'-carbonyldiimidazole and 4-aminomethyl-N-[2-(N-tert-butoxycarbonyl)aminophenyl]benzamide with subsequent removal of N-BOC

10458286

group. II was combined with tamoxifen and the VEGF receptor antagonist 1-(4-chloroanilino)-4-(pyridylmethyl)phthalazine hydrochloride and this pharmaceutical composition was evaluated in a colorectal carcinoma model in Wag rats. The results of the model study indicated the combination therapy significantly restricted tumor growth relative to the reference ($2 \pm 0.5\%$ tumor volume) and the individual application of each compound

IT 722547-82-2


RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(preparation of N-arylbenzamides as histone deacetylase inhibitors)

RN 722547-82-2 CAPLUS

CN 19-Norpregna-1,3,5(10)-trien-20-yne-3,17-diol, 16-ethyl-11-methoxy-, (11 α ,16 β ,17 α)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L14 ANSWER 4 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:513479 CAPLUS

DN 141:71736

TI Isolation and preparation of diterpenoids, compositions thereof, and their use as anticancer or antifungal agents

IN Beauparlant, Pierre; Attardo, Giorgio; Zhang, Zhiying; Stafford, Angela M.; Ubillas, Rosa; Mcalpine, James B.

PA Gemin X Biotechnologies Inc., Can.; Galileo Pharmaceuticals, Inc.; Fortin, Samuel; Tripathy, Sasmita

SO PCT Int. Appl., 185 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004052282	A2	20040624	WO 2003-US38659	20031204
	WO 2004052282	A3	20041007		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

PRAI US 2002-431096P P 20021205


OS MARPAT 141:71736

GI

NPA



I



II

AB The present invention relates to diterpenoids I [Q1, Q2 = O, S, NH, NNHR; R = H, C1-10-alkyl, aryl; Q3 = O, S, N(H); R1, R2 = H, halogen, NH2, C1-10-alkyl, C1-10-alkoxy, C1-10-hydroxyalkyl, C1-10-aminoalkyl, C1-10-haloalkyl, , C2-10-alkenyl, C2-10-alkynyl, , C1-10-alkyl, C3-7-cycloalkyl, aryl, C1-10-arylalkyl, 3- to 7-membered heterocycle; CR1R2 = C3-7-cycloalkyl; A = N, CR3; B = N, CR4; D = N, CR5; E = N, CR6 (with the proviso that one of A, B, D, E = CR3, CR4, CR5, CR6); R3, R4, R5, R6 = H, halo, CN, NH2, NO2, CO2H, CONH2, SH, SONH2, SO2NH2, C1-10-oxyalkyl, C1-10-alkyl, C1-10-alkoxy, C1-10-hydroxyalkyl, C1-10-aminoalkyl, C1-10-haloalkyl, C2-10-alkenyl, C2-10-alkynyl, C3-7-cycloalkyl, aryl, C1-10-arylalkyl, 3- to 7-membered non-aromatic heterocycle, 5- to 7-membered aromatic heterocycle, etc.; R3C:CR4, R5C:CR6, R4C:CR5 = C3-7-cycloalkenyl, 5- to 7-membered (non)aromatic heterocycle; R7 = H, C1-10-alkyl, C1-10-alkoxy; R8, R9 = H, halo, CN, NH2, NO2, CO2H, CONH2, SH, SONH2, SO2NH2, C1-10-oxyalkyl, C1-10-alkyl, C1-10-alkoxy, etc.; R10 = H, C1-10-alkyl, C3-7-cycloalkyl, CO-(C1-10-alkyl), C1-10-oxyalkyl, CONH2, CONHR12, aryl; R12 = C1-10-alkyl; halo = F, Cl, Br, I], compns. comprising an effective amount of I, and methods useful for treating or preventing cancer or a neoplastic disorder comprising administering an effective amount of I. The compds., compns., and methods of the invention are also useful for inhibiting the growth of a cancer cell or neoplastic cell, or for inducing apoptosis in a cancer or neoplastic cell. The compds., compns., and methods of the invention are further useful for treating or preventing a fungal infection. The compds., compns., and methods of the invention are also useful for inhibiting the growth of a fungus. Podocarpene diterpene II was isolated from *Linum arboretum*. The effect of II on cancer-cell viability was studied; caspases were activated in cancer cell lines H1299 and C33A following 16 h incubation with 1.6 μ M of I showing selective apoptosis in cancer cells.

IT 709667-53-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(preparation and enol silylation of; isolation and preparation of diterpenoids, compns. thereof, and their use as anticancer or antifungal agents)

RN 709667-53-8 CAPLUS

CN 2(1H)-Phenanthrenone, 3,4,4a,9,10,10a-hexahydro-6-methoxy-1,1,4a-trimethyl-, (4aR,10aR) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.

10458286



IT 709667-52-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(preparation and oxidation of; isolation and preparation of diterpenoids, compns.

thereof, and their use as anticancer or antifungal agents)

RN 709667-52-7 CAPLUS

CN 2-Phenanthrenol, 1,2,3,4,4a,9,10,10a-octahydro-6-methoxy-1,1,4a-trimethyl-, (2S,4aR,10aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 709667-21-0P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation, selenenylation and oxidative deselenation of; isolation and preparation of diterpenoids, compns. thereof, and their use as anticancer or antifungal agents)

RN 709667-21-0 CAPLUS

CN 2(1H)-Phenanthrenone, 3,4,4a,9,10,10a-hexahydro-6-methoxy-1,4a-dimethyl-, (1R,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



NPA

10458286

TI Pin1-modulating compounds and methods of use for the treatment of
Pin1-associated diseases, including cancer
IN Mckee, Timothy D.; Suto, Robert K.; Tibbitts, Thomas; Sowadski, Janusz
PA Pintex Pharmaceuticals, Inc., USA
SO PCT Int. Appl., 166 pp.
CODEN: PIXXD2

DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004028535	A1	20040408	WO 2003-US306675	20030303
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 2004214872	A1	20041028	US 2003-379408	20030303
PRAI	US 2002-414077P	P	20020926		

OS MARPAT 140:315042


AB The invention is directed to modulators, e.g., inhibitors, of Pin1 and Pin1-related proteins and the use of such modulators for treatment of Pin1 associated states, e.g., for the treatment of cancer. Synthetic methods are included.

IT 676649-27-7

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(Pin1-modulating compds. for treatment of Pin1-associated diseases, including cancer)

RN 676649-27-7 CAPLUS

CN 3-Thiazolidinebutanoic acid, 5-[(1,2,3,4,4a,9,10,10a-octahydro-6,7-dimethoxy-3-methyl-2-phenanthrenyl)methylene]-4-oxo-2-thioxo- (9CI) (CA INDEX NAME)



RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 6 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:220882 CAPLUS

DN 141:289239

TI Influence of Estrogen Cytostatics on Activity of Plasma Membrane Enzymes
5'-Nucleotidase and Na⁺-K⁺-ATPase

AU Mayatskaya, E. E.; Semeikin, A. V.; Rzhiznikov, V. M.; Shimanovskii, N. L.
CS Research Center for Endocrinology, Department of Molecular Pharmacology
and Radiobiology, Russian State Medical University, USA

SO Bulletin of Experimental Biology and Medicine (Translation of Byulleten

10458286

Eksperimental'noi Biologii i Meditsiny) (2003), 136(6), 557-559

CODEN: BEXBAN; ISSN: 0007-4888

PB Kluwer Academic/Consultants Bureau

DT Journal

LA English

AB The authors studied the effect of four conjugated synthetic derivs. of estrone and ethynylestradiol and bis- β -chloroethylamine-containing substance on activity of plasma membrane enzymes 5'-nucleotidase and N⁺-K⁺-ATPase. As differentiated from precursors, estrogen cytostatics decreased activity of plasma membrane enzymes. Reference prepns. chlorophenacyl and estradiol had little effect on activity of 5'-nucleotidase and N⁺-K⁺-ATPase. These data suggest that damage to plasma membrane enzymes is related to the effect of estrogen cytostatic mols. Test compds. produced an antiproliferative effect on estrogen-independent tumor cells, which strongly correlated with a decrease in activity of plasma membrane enzymes 5'-nucleotidase and N⁺-K⁺-ATPase. The derivative of ethynylestradiol with the cytostatic residue in the 3-position of the steroid nucleus (Po-714-11a) most significantly modulated enzyme activity.

IT 458569-13-6 458569-15-8 762303-31-1
762303-32-2


RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(influence of estrogen cytostatics on activity of plasma membrane enzymes 5'-nucleotidase and N⁺-K⁺-ATPase)

RN 458569-13-6 CAPLUS

CN 19-Norpregna-1,3,5(10)-trien-20-yne-3,11,17-triol, 17-acetate
3-[[4-[bis(2-chloroethyl)amino]phenyl]acetate] 11-formate,
(11 α ,17 α)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 458569-15-8 CAPLUS

CN 19-Norpregna-1,3,5(10)-trien-20-yne-3,11,17-triol, 11,17-diacetate
3-[[4-[bis(2-chloroethyl)amino]phenyl]acetate], (11 α ,17 α)-
(9CI) (CA INDEX NAME)


Absolute stereochemistry.

10458286




RN 762303-31-1 CAPLUS
CN 19-Norpregna-1,3,5(10)-trien-20-yne-3,11,17-triol, 17-acetate
3-[4-[bis(2-chloroethyl)amino]benzeneacetate], (11 α ,17 α)-
(9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 762303-32-2 CAPLUS
CN Estra-1,3,5(10)-trien-17-one, 3-[[[4-[bis(2-chloroethyl)amino]phenyl]acetyl]oxy]-11-(formyloxy)-, (11 α)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.



RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 7 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:220333 CAPLUS
DN 140:270854
TI Preparation of 1,3,8-triazaspiro[4.5]decan-4-ones for the treatment of
ORL-1 receptor mediated disorders
IN Battista, Kathleen; Bignan, Gilles; Connolly, Peter J.; Reitz, Allen B.;
Morgan Ross, Tina; Scott, Malcolm; Middleton, Steve A.; Orsini, Michael

NPA

10458286

PA Janssen Pharmaceutica, N.V., Belg.
SO PCT Int. Appl., 249 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004022558	A2	20040318	WO 2003-US27956	20030905
	WO 2004022558	A3	20040521		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2004142955	A1	20040722	US 2003-656934	20030905
	BR 2003006309	A	20041019	BR 2003-6309	20030905
PRAI	US 2002-409134P	P	20020909		
	WO 2003-US27956	W	20030905		
OS	MARPAT 140:270854				
GI					

Handwritten signature/initials

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [R0 = CRaRbCOHRa-(CRcRd)1-3X, (CRcRd)1-3COHRaCRaRbX; Ra, Rb = H, alkyl; Rc, Rd = H, OH, carboxy, etc.; X = NR1R2, CONR1R2, NR1, etc.; R1, R2 = H, alkyl, alkoxy, etc.; R3 = aryl, arylalkyl, heteroaryl, etc.; A = (R4)n; R4 = OH, alkyl, alkyl-OH; n = 0-2; B = (L1)m; L1 = alkyl, alkenyl with provisos; m = 0-1; C = (R5)p and (R6)q substituted cycloalkyl, partially unsatd. carbocyclyl (sic), aryl, etc.; R5 = OH, carboxy, halo, etc.; p = 0-5; R6 = (L2)0-1R7; q = 0-1; L2 = alkyl, alkenyl, alkynyl, etc.; R7 = aryl, partially unsatd. carbocyclyl, cycloalkyl, etc.] and their pharmaceutically acceptable salts were prepared For example, amination of epoxide II, e.g., prepared from cyclooctanecarboxaldehyde in 2-steps, with 4-aminopyridine afforded amino alc. III. In human ORL-1 receptor binding affinity assays, approx. 470-examples of compds. I exhibited IC50 values ranging from 0.10 - >10,000 nM, e.g., the IC50 value of triazaspiro[4.5]decan-4-one III was 8.73 nM. Compds. I are claimed useful for the treatment of anxiety, depression, migraine, etc..



IT 674789-13-0P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(drug target; preparation of triazaspiro[4.5]decan-4-ones for the treatment of ORL-1 receptor mediated disorders)

RN 674789-13-0 CAPLUS

CN 1,3,8-Triazaspiro[4.5]decan-4-one, 3-[(2S)-2-hydroxy-3-[[[(1R,4aS,10aR)-1,2,3,4,4a,9,10,10a-octahydro-1,4a-dimethyl-7-(1-methylethyl)-1-phenanthrenyl]methyl]amino]propyl]-1-phenyl-8-[2-[2-(2-thienyl)phenyl]ethyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 674478-64-9P 674789-14-1P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of triazaspiro[4.5]decan-4-ones for the treatment of ORL-1 receptor mediated disorders)

RN 674478-64-9 CAPLUS

CN 1,3,8-Triazaspiro[4.5]decan-4-one, 8-cyclooctyl-1-(4-fluorophenyl)-3-[(2R)-2-hydroxy-3-[[[(1S,4aR,10aS)-1,2,3,4,4a,9,10,10a-octahydro-1,4a-dimethyl-7-(1-methylethyl)-1-phenanthrenyl]methyl]amino]propyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 674789-14-1 CAPLUS

CN 1,3,8-Triazaspiro[4.5]decan-4-one, 8-(1,2-dihydro-1-acenaphthylenyl)-1-(4-fluorophenyl)-3-[(2S)-2-hydroxy-3-[[[(1R,4aS,10aR)-1,2,3,4,4a,9,10,10a-

10458286

octahydro-1,4a-dimethyl-7-(1-methylethyl)-1-phenanthrenyl]methyl]amino]propyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L14 ANSWER 8 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2004:182541 CAPLUS
DN 140:229476
TI Treatment of dyspareunia with topically administered nitroglycerin formulations
IN Place, Virgil A.; Wilson, Leland F.; Doherty, Paul C.; Hanamoto, Mark S.; Spivack, Alfred P.; Gesundheit, Neil; Bennett, Sean R.; Doherty, Jane K.
PA USA
SO U.S. Pat. Appl. Publ., 18 pp., Cont.-in-part of U.S. Ser. No. 905,458.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 6

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004044080	A1	20040304	US 2003-407858	20030404
	US 5877216	A	19990302	US 1997-959064	19971028
	US 6306841	B1	20011023	US 2000-539484	20000330
	US 2001051656	A1	20011213	US 2001-905458	20010713
	US 6593313	B2	20030715		
PRAI	US 1997-959057	B2	19971028		
	US 1997-959064	A2	19971028		
	US 1998-181316	B1	19981027		
	US 2000-539484	A1	20000330		
	US 2001-905458	A2	20010713		

AB Methods and formulations for treating dyspareunia are provided. A pharmaceutical composition formulated so as to contain a therapeutically effective amount of nitroglycerin is administered to the vagina or vulvar area of the individual undergoing treatment. Preferred formulations are immediate release formulations in which at least 80% of the nitroglycerin in the formulation is released therefrom within 4 h following administration. The formulations may contain one or more addnl. active agents, e.g., agents that are also useful to treat dyspareunia and/or potentiate the action of nitroglycerin. Such addnl. agents include vasoactive agents such as prostaglandins, phosphodiesterase inhibitors, androgens such as testosterone, estrogens such as estradiol, and selective modulators of estrogen and androgen receptors. A kit for a patient to use in the self-administration of the formulation is also provided.

10458286


IT 666702-84-7

RL: BSU (Biological study, unclassified); PAC (Pharmacological activity);
THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(selective estrogen receptor modulator, as addnl. active agent;
dyspareunia treatment with topically administered nitroglycerin
formulations)

RN 666702-84-7 CAPLUS

CN Estra-1,3,5(10)-triene-7-undecanamide, N-butyl-3,17-dihydroxy-N-methyl-
(9CI) (CA INDEX NAME)

Absolute stereochemistry.



L14 ANSWER 9 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:828852 CAPLUS

DN 140:139694

TI The effects of 2-methoxy oestrogens and their sulphamoylated derivatives
in conjunction with TNF- α on endothelial and fibroblast cell growth,
morphology and apoptosis

AU Ho, Y. T.; Newman, S. P.; Purohit, A.; Leese, M. P.; Potter, B. V. L.;
Reed, M. J.

CS Faculty of Medicine, Endocrinology and Metabolic Medicine and Sterix Ltd.,
Imperial College, St. Mary's Hospital, London, W2 1NY, UK

SO Journal of Steroid Biochemistry and Molecular Biology (2003), 86(2),
189-196

CODEN: JSBBEZ; ISSN: 0960-0760

PB : Elsevier Science Ltd.

DT Journal

LA English

AB 2-Methoxyoestradiol (2-MeOE2) is a potent anti-angiogenic agent. Its 3-
and 17-sulfamoylated derivs. have been demonstrated to induce G2-M cell
cycle arrest and apoptosis in breast cancer cells in vitro as well as
tumor regression in rats in vivo with greater potency than the parent
estrogen. To determine whether the anti-cancer properties of these derivs. can
be synergistically enhanced with low-dose TNF- α co-treatment, the
authors investigated the effects of these treatments in adult human
fibroblasts and human umbilical vein endothelial cells (HUVECs).
Treatment of fibroblasts with 0.1 μ M 2-methoxyoestradiol-3,17-bis
sulfamate (2-MeOE2bismate) but not 2-MeOE2 caused a reversible morphol.
change and induced G2-M arrest (from 12 to 33%) but not subsequent
apoptosis. In contrast, treatment of HUVECs did not induce morphol.
change or G2-M arrest. Using a nucleosomal ELISA assay, the authors
showed that TNF- α (20 ng/mL) combination treatment synergistically
increases 0.1 μ M 2-MeOE2bismate-induced but not 0.1 μ M
2-MeOE2-induced apoptosis in HUVECs. These results suggest that
TNF- α co-treatment may be a beneficial method of increasing the
potency of 2-substituted estrogens as anti-angiogenic agents through
synergistic induction of apoptosis in endothelial cells while maintaining

low cytotoxicity to fibroblasts.

RL: BSU (Biological study, unclassified); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(effects of 2-methoxy estrogens and their sulfamoylated derivs. in conjunction with TNF- α on human vascular endothelial and dermal fibroblast cell growth, morphol. and apoptosis)

CN Estradiol, 17- β -diol, 3-methoxy-, disulfamate, (17 β)-
(9CI) (CA INDEX NAME)

The chemical structure shows a steroid nucleus with a benzene ring at the A-ring position. The B-ring has a methoxy group (MeO) at the 2-position. The D-ring has a methyl group (Me) at the 13-position. The E-ring has a sulfonamide group (SO₂NH₂) at the 17-position. Stereochemistry is indicated with wedges and dashes at the 8, 9, 10, and 13 positions.

AB Compns. and methods for treating mammalian disease characterized by undesirable angiogenesis and for controlling a number of angiogenesis-related events, conditions, or substances, by administering derivs. of

10458286

2-methoxyestradiol of general formula (I) wherein the variables are defined in the specification.


IT 431901-79-0 431901-81-4 431901-84-7
431901-85-8 431901-89-2

RL: RCT (Reactant); RACT (Reactant or reagent)
(synthesis of 2-methoxyestradiol derivs. and uses as antiangiogenic agents)

RN 431901-79-0 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 16-(2-butenyl)-2-methoxy-3-(phenylmethoxy)-, (16 α)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry unknown.



RN 431901-81-4 CAPLUS

CN Estra-1,3,5(10)-triene-16-carboxylic acid, 2-methoxy-17-oxo-3-(phenylmethoxy)-16-(2-propenyl)-, methyl ester, (16 α)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431901-84-7 CAPLUS

CN Estra-1,3,5(10)-triene-16-carboxylic acid, 2-methoxy-17-oxo-3-(phenylmethoxy)-, methyl ester, (16 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10458286

RN 431901-85-8 CAPLUS

CN Estra-1,3,5(10)-trien-17-ol, 16-(2-butenyl)-2-methoxy-3-(phenylmethoxy)-, (16 α ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry unknown.



RN 431901-89-2 CAPLUS

CN Estra-1,3,5(10)-trien-3-ol, 2-amino- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 431901-68-7P 431901-69-8P 431901-70-1P
431901-71-2P 431901-72-3P 431901-77-8P
431901-78-9P 431901-80-3DP, alkyl derivs.
431901-89-2DP, alkyl analogs 431901-90-5P
431901-91-6P 431901-92-7P 431901-93-8P
431901-98-3P 431901-99-4P 431902-01-1P
431902-02-2P 431902-03-3P 431902-04-4P
431902-05-5P 431902-06-6P 438044-30-5P
464924-32-1P 594873-85-5P 594873-86-6P
594873-87-7P


RL: SPN (Synthetic preparation); PREP (Preparation)
(synthesis of 2-methoxyestradiol derivs. and uses as antiangiogenic agents)

RN 431901-68-7 CAPLUS

CN Estra-1,3,5(10)-trien-3-ol, 17-amino-2-methoxy-, (17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

10458286




RN 431901-69-8 CAPLUS
CN Estra-1,3,5(10)-trien-17-one, 3-hydroxy-2-methoxy-, oxime (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 431901-70-1 CAPLUS
CN Estra-1,3,5(10)-trien-3-ol, 2-methoxy-17-propyl-, (17 β) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431901-71-2 CAPLUS
CN Estra-1,3,5(10)-trien-3-ol, 2-methoxy-17-methyl-, (17 β) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 431901-72-3 CAPLUS

CN Estra-1,3,5(10)-trien-3-ol, 2-methoxy-17-propylidene-, (17Z)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 431901-77-8 CAPLUS

CN 19,21-Dinorchola-1,3,5(10),17(20)-tetraen-3-ol, 2-methoxy-, (17Z)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 431901-78-9 CAPLUS

CN 19,21-Dinorchola-1,3,5(10)-trien-3-ol, 2-methoxy- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 431901-80-3 CAPLUS

CN Estra-1,3,5(10)-triene-16-carboxylic acid, 2-methoxy-17-oxo-3-(phenylmethoxy)-, methyl ester, (16 α)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431901-89-2 CAPLUS

CN Estra-1,3,5(10)-trien-3-ol, 2-amino- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431901-90-5 CAPLUS

CN Estra-1,3,5(10)-trien-3-ol, 2-(dimethylamino)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10458286

RN 431901-91-6 CAPLUS

CN Formamide, N-(3-hydroxyestra-1,3,5(10)-trien-2-yl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431901-92-7 CAPLUS

CN Estra-1,3,5(10)-trien-3-ol, 2-(methylamino)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431901-93-8 CAPLUS

CN Estra-1,3,5(10)-trien-3-ol, 2-azido- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 431901-98-3 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-methyl-,
(16 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 431901-99-4 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-methyl-,
(16 β ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431902-01-1 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-(hydroxymethyl)-2-methoxy-,
(16 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 431902-02-2 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-(hydroxymethyl)-2-methoxy-,
(16 β ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

10458286




RN 431902-03-3 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-propyl-,
(16 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 431902-04-4 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-propyl-,
(16 β ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431902-05-5 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 16-butyl-2-methoxy-,
(16 β ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 431902-06-6 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-(2-methylpropyl)-,
(16 β ,17 β) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 438044-30-5 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-[(dimethylamino)methyl]-2-methoxy-,
(16 β ,17 β) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 464924-32-1 CAPLUS

CN Estra-1,3,5(10)-triene-16-methanol, 17-hydroxy-2-methoxy-3-(phenylmethoxy)-,
(17 β) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 594873-85-5 CAPLUS

CN Estra-1,3,5(10)-trien-17-ol, 16-[(dimethylamino)methyl]-2-methoxy-3-(phenylmethoxy)-, (16 β ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 594873-86-6 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-methyl-, (17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 594873-87-7 CAPLUS

CN 19-Norpregna-1,3,5(10),17(20)-tetraen-3-ol, 2-methoxy-, (17E)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

10458286



NPA

L14 ANSWER 11 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2003:610198 CAPLUS

DN 139:159968

TI Nonsteroidal analogs of 2-methoxyestradiol for the treatment of diseases characterized by undesirable angiogenesis, proliferative activity, or cell mitosis

IN Agoston, Gregory; Shah, Jamshed H.; Hunsucker, Kimberly A.; Treston, Anthony M.; Pribluda, Victor S.

PA Entremed, Inc., USA

SO PCT Int. Appl., 105 pp.

CODEN: PIXXD2


DT Patent

LA English


FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003063787	A2	20030807	WO 2003-US2728	20030130
	WO 2003063787	A3	20040122		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2003187076	A1	20031002	US 2003-354921	20030130
	US 2003236439	A1	20031225	US 2003-354927	20030130
PRAI	US 2002-354046P	P	20020130		
OS	MARPAT 139:159968				
GI					


10458286



I



II



III

AB The invention provides compds., compns., and methods for treating disease states characterized by undesirable angiogenesis, proliferative activity, or cell mitosis by administering 2-methoxyestradiol nonsteroidal analogs I, II or III [R1 = (substituted) alkyl, (substituted) aryl; R2, R3 = H, halo, (substituted) alkyl, etc.]. Preparation of e.g. I (R1, R2 = Me; R3 = H) is described.


IT 573976-95-1D, derivs. 573979-27-8 573979-28-9
573979-29-0 573979-30-3 573979-35-8
573979-36-9 573979-37-0 573979-38-1
573979-39-2 573979-40-5 573979-41-6
573979-42-7 573979-43-8 573979-44-9
573979-45-0 573979-46-1

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(methoxyestradiol nonsteroidal analogs for treatment of diseases characterized by undesirable angiogenesis, proliferative activity, or cell mitosis)

RN 573976-95-1 CAPLUS


CN 2,3-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro- (9CI) (CA INDEX NAME)




RN 573979-27-8 CAPLUS

CN 2-Phenanthrenol, 8-ethyl-4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7,7-dimethyl- (9CI) (CA INDEX NAME)


10458286




RN 573979-28-9 CAPLUS
CN 2-Phenanthrenemethanol, 1-ethyl-1,2,3,4,4a,9,10,10a-octahydro-7-hydroxy-6-methoxy-2-methyl- (9CI) (CA INDEX NAME)



RN 573979-29-0 CAPLUS
CN 2-Phenanthrenol, 7-ethenyl-8-ethyl-4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7-methyl- (9CI) (CA INDEX NAME)




RN 573979-30-3 CAPLUS
CN 2-Phenanthrenol, 8-ethyl-4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7-methyl-7-(1-propenyl)- (9CI) (CA INDEX NAME)




RN 573979-35-8 CAPLUS
CN 2-Phenanthrenol, 7-ethyl-4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7,8-dimethyl- (9CI) (CA INDEX NAME)


10458286




RN 573979-36-9 CAPLUS
CN 2-Phenanthrenemethanol, 1,2,3,4,4a,9,10,10a-octahydro-7-hydroxy-6-methoxy-
α,1,2-trimethyl- (9CI) (CA INDEX NAME)



RN 573979-37-0 CAPLUS
CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7,8-dimethyl-7-(1-
methylethenyl)- (9CI) (CA INDEX NAME)




RN 573979-38-1 CAPLUS
CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7,8-dimethyl-7-(1-
methyl-1-propenyl)- (9CI) (CA INDEX NAME)




RN 573979-39-2 CAPLUS
CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7-methyl-8-propyl-
(9CI) (CA INDEX NAME)

10458286




RN 573979-40-5 CAPLUS

CN 1-Phenanthrenepropanol, 1,2,3,4,4a,9,10,10a-octahydro-7-hydroxy-6-methoxy-2-methyl- (9CI) (CA INDEX NAME)




RN 573979-41-6 CAPLUS

CN 2-Phenanthrenol, 8-(3-butenyl)-4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7-methyl- (9CI) (CA INDEX NAME)



RN 573979-42-7 CAPLUS


CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7-methyl-8-(3-pentenyl)- (9CI) (CA INDEX NAME)




RN 573979-43-8 CAPLUS

CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7-methyl-7-propyl- (9CI) (CA INDEX NAME)


10458286




RN 573979-44-9 CAPLUS
CN 2-Phenanthrenemethanol, α -ethyl-1,2,3,4,4a,9,10,10a-octahydro-7-hydroxy-6-methoxy-1,2-dimethyl- (9CI) (CA INDEX NAME)



RN 573979-45-0 CAPLUS
CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7,8-dimethyl-7-(1-methylenepropyl)- (9CI) (CA INDEX NAME)



RN 573979-46-1 CAPLUS
CN 2-Phenanthrenol, 7-(1-ethyl-1-propenyl)-4b,5,6,7,8,8a,9,10-octahydro-3-methoxy-7,8-dimethyl- (9CI) (CA INDEX NAME)




L14 ANSWER 12 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:252155 CAPLUS
DN 139:78657
TI Novel 2-methoxyestradiol analogues with antitumor activity
AU Tinley, Tina L.; Leal, Rachel M.; Randall-Hlubek, Deborah A.; Cessac,

10458286

James W.; Wilkens, Lynne R.; Rao, Pemmaraju N.; Mooberry, Susan L.
CS Departments of Physiology and Medicine, Southwest Foundation for
Biomedical Research, San Antonio, TX, 78227, USA
SO Cancer Research (2003), 63(7), 1538-1549
CODEN: CNREA8; ISSN: 0008-5472
PB American Association for Cancer Research
DT Journal
LA English
AB 2-Methoxyestradiol (2-ME2) is a natural estrogen metabolite that, while
devoid of estrogenic effects, has both antiangiogenic and antitumor
effects. 2-ME2 is currently being evaluated in Phase I and Phase II clin.
trials for the treatment of multiple types of cancer. Novel analogs of
2-ME2 were tested for activities that predict antiangiogenic and antitumor
effects. Selected analogs were tested for inhibitory activity against
endothelial cell proliferation and invasion. The results show that these
analogs are effective inhibitors of endothelial cell activities that may
predict antiangiogenic activity, and one analog, 2-methoxy-14-
dehydroestradiol (14-dehydro-2-ME2), was 6-15-fold more potent than the
parental compound in these assays. The analogs were also evaluated for
inhibition of proliferation and cytotoxicity against multiple tumor cell
lines and found to be potent and effective. 14-Dehydro-2-ME2 was approx.
15-fold more potent than 2-ME2 against various tumor cell lines, and
2-methoxy-15-dehydroestradiol was particularly effective against DU 145
and PC3 prostate cancer cell lines. In vivo antitumor activity was observed
for the three analogs tested in the murine xenograft MDA-MB-435 model;
however, 2-ME2 provided no antitumor activity in this trial. The two most
effective analogs, 14-dehydro-2-ME2 and 2-methoxyestradiol-
15 α ,16 α -acetonide, provided 29.4% and 26.7% inhibition of
tumor burden, resp. Mechanism of action studies indicate that the analogs
cause mitotic spindle disruption, mitotic arrest, microtubule depolymn.,
and inhibition of the assembly of purified tubulin similar to the effects
of 2-ME2. Consistent with antimicrotubule agents that inhibit the dynamic
instability of tubulin and initiate apoptosis, these novel 2-ME2 analogs
cause Bcl-2 phosphorylation and activation of mitogen-activated protein
kinase signaling pathways.
IT 477951-76-1 477951-83-0
RL: BSU (Biological study, unclassified); PAC (Pharmacological activity);
THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(novel 2-methoxyestradiol analogs with antitumor activity in relation
to signal transduction and mechanism of action)
RN 477951-76-1 CAPLUS
CN Estra-1,3,5(10),15-tetraene-3,17-diol, 2-methoxy-, (17 β)- (9CI) (CA
INDEX NAME)


Absolute stereochemistry.



RN 477951-83-0 CAPLUS
CN Estra-1,3,5(10)-triene-3,15,16,17-tetrol, 2-methoxy-, cyclic
15,16-(1-methylethylidene acetal), (15 α ,16 α ,17 β)- (9CI)
(CA INDEX NAME)

10458286

Absolute stereochemistry.




RE.CNT 40 THERE ARE 40 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 13 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:153417 CAPLUS
DN 138:187528
TI Preparation of octahydrophenanthrenes as NMDA antagonists
IN Buschmann, Helmut Heinrich; Englberger, Werner Guenter; Przewosny,
Michael; Sattlegger, Michael; Schick, Hans; Henkel, Birgitta
PA Gruenenthal GmbH, Germany
SO Ger. Offen., 14 pp.
CODEN: GWXXBX
DT Patent
LA German
FAN.CNT 1

N/A

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 10140213	A1	20030227	DE 2001-10140213	20010816
	WO 2003016261	A1	20030227	WO 2002-EP8866	20020808
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	EP 1423353	A1	20040602	EP 2002-794708	20020808
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK			
	US 2004162432	A1	20040819	US 2004-778380	20040213
PRAI	DE 2001-10140213	A	20010816		
	WO 2002-EP8866	W	20020808		
OS	CASREACT 138:187528; MARPAT 138:187528				
GI					

10458286



AB Title compds. [I; R, R¹, R² = H, (branched) (saturated) acyclic group, (saturated) cyclic group, alkylenearyl, alkyleneheteroaryl, halo, cyano, OR⁵, SR⁵, CHF₂, CF₃, NHR⁵, N(R⁵)₂, NO₂, SO₂R⁵; R² = oxo group; R³, R⁴ = H, (branched) (saturated) acyclic group, (saturated) cyclic group, alkylenearyl, alkyleneheteroaryl; or R³R⁴ = (CH₂)₂₋₇; R⁵ = (branched) (saturated) C₁₋₁₂ acyclic group, C₃₋₇ cyclic group, (hetero)aryl] and racemates, diastereoisomers or enantiomers thereof were prepared Thus, N,N-dimethyl-N-[(1R, 4aS,10aS)-1,2,3,4,4a,9,10,10a-octahydrophenanthren-1-ylmethyl]amine (preparation given) in MeCOEt was stirred with ClSiMe₃ for 4.5 h at room temperature to give 66% N,N-dimethyl-N-[(1R, 4aS,10aS)-1,2,3,4,4a,9,10,10a-octahydrophenanthren-1-ylmethyl]amine hydrochloride. The latter at 10 µM gave 46% inhibition of (3H)-(+)-MK801 binding, and at 10 mg/kg i.v. in mice 74% inhibition of phenylquinone-induced writhing.

IT 498546-57-9P 498546-64-8P 498546-68-2P
498546-75-1P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of octahydrophenanthrenes as NMDA antagonists)

RN 498546-57-9 CAPLUS

CN 1-Phenanthrenemethanamine, 1,2,3,4,4a,9,10,10a-octahydro-N,N-dimethyl-, hydrochloride, (1R,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 498546-64-8 CAPLUS

CN 1-Phenanthrenemethanamine, 1,2,3,4,4a,9,10,10a-octahydro-6-methoxy-N,N-dimethyl-, hydrochloride (9CI) (CA INDEX NAME)


10458286



● HCl

RN 498546-68-2 CAPLUS


CN 3-Phenanthrenol, 8-[(dimethylamino)methyl]-4b,5,6,7,8,8a,9,10-octahydro-, hydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 498546-75-1 CAPLUS

CN 1-Phenanthrenemethanamine, 3-(1,1-dimethylethyl)-1,2,3,4,4a,9,10,10a-octahydro-N,N-dimethyl-, hydrochloride (9CI) (CA INDEX NAME)



● HCl

IT 498546-53-5P 498546-62-6P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of octahydrophenanthrenes as NMDA antagonists)

RN 498546-53-5 CAPLUS


CN 1-Phenanthrenemethanamine, 1,2,3,4,4a,9,10,10a-octahydro-N,N-dimethyl-, (1R,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.

10458286



RN 498546-62-6 CAPLUS
CN 1-Phenanthrenemethanamine, 1,2,3,4,4a,9,10,10a-octahydro-6-methoxy-N,N-dimethyl- (9CI) (CA INDEX NAME)



RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 14 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:22633 CAPLUS
DN 138:67085
TI Preparation of activators of non-genotropic estrogen-like signaling
(ANGELS) for use in stimulating bone formation and treating other diseases
IN Manolagas, Stavros C.; Katzenellenbogen, John A.
PA Anabonix, Inc., USA; The Board of Trustees of the University of Arkansas
SO PCT Int. Appl., 125 pp.
CODEN: PIXXD2

DT Patent
LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003002058	A2	20030109	WO 2002-US18544	20020610
	WO 2003002058	C1	20030327		
	WO 2003002058	A3	20030828		
	WO 2003002058	C2	20040708		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US	2003119800	A1	20030626	US	2002-165380	20020607
EP	1404344	A2	20040407	EP	2002-749579	20020610

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR

PRAI	US	2001-299009P	P	20010618
	US	2002-165380	A	20020607
	WO	2002-US18544	W	20020610

OS MARPAT 138:67085

AB The inventors have discovered compds. that are Activators of

10458286

Non-Genotropic Estrogen-like Signaling (ANGELS). ANGELS compds. are small mols. that mimic the non-genotropic effects of estrogen and androgen but substantially lack their genotropic effects. For example, the inventors have discovered that ANGELS compds. stimulate the formation of bone but have little or no feminizing or masculinizing effects. In preferred embodiments, the ANGELS are an estrenediol, androstenediol, estranediol, androstanediol, nor-estrenediol, homo-estrenediol, seco-estrenediol, nor-androstenediol, homo-androstenediol, seco-androstenediol, nor-estranediol, homo-estranediol, seco-estranediol, nor-androstanediol, homo-androstanediol, seco-androstanediol, or a estratrienol. Pharmaceutical compns. containing the ANGELS are addnl. claimed.

IT 481695-81-2DP, Estra-1,3,5(10)-trien-4-ol, analogs


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of activators of non-genotropic estrogen-like signaling (ANGELS) for use in stimulating bone formation and treating other diseases)

RN 481695-81-2 CAPLUS

CN Estra-1,3,5(10)-trien-4-ol (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L14 ANSWER 15 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2002:964373 CAPLUS

DN 138:24877

TI Preparation of novel 2-alkoxyestradiol analogs with antiproliferative and antimitotic activity

IN Rao, Pemmaraju Narasimha; Mooberry, Susan L.; Cessac, James W.; Tinley, Tina L.

PA Southwest Foundation for Biomedical Research, USA

SO PCT Int. Appl., 86 pp.

CODEN: PIXXD2

DT Patent


LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002100877	A1	20021219	WO 2002-US18867	20020611
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

10458286

US 2003096799	A1	20030522	US 2002-167208	20020611
US 6593321	B2	20030715		
US 2003229061	A1	20031211	US 2003-412007	20030411
PRAI US 2001-297428P	P	20010611		
US 2002-167208	A3	20020611		
OS MARPAT 138:24877				
GI				



AB Novel 2-alkoxyestradiol analogs of formula I [R1 = alkyl, haloalkyl; R2 = H, SO₂NHR; R = H, alkyl, acyl; R3 = H, alkyl, haloalkyl; R4 = H, alkyl, alkenyl, alkynyl, aryl, heteroaryl; R5 = alkyl; R6 = O, NOR, OSO₂NHR] are prepared which inhibit undesired cell proliferation and tumor growth. Addnl., methods are disclosed of treating diseases associated with undesired angiogenesis and undesired proliferation, and methods of treating infectious disease wherein the infectious agent is particularly susceptible to inhibition by agents that disrupt microtubule organization and function. Thus, II was prepared from estradiol in several steps. II was 6-24 times more potent than 2-methoxyestradiol in 5 human tumor cell lines.


IT 477951-76-1P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of alkoxyestradiol analogs with antiproliferative and antimitotic activity)

RN 477951-76-1 CAPLUS

CN Estra-1,3,5(10),15-tetraene-3,17-diol, 2-methoxy-, (17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 477951-83-0P 477951-84-1P 477951-90-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of alkoxyestradiol analogs with antiproliferative and antimitotic activity)


RN 477951-83-0 CAPLUS

W
Sub
mat

10458286

CN Estra-1,3,5(10)-triene-3,15,16,17-tetrol, 2-methoxy-, cyclic
15,16-(1-methylethylidene acetal), (15 α ,16 α ,17 β) - (9CI)
(CA INDEX NAME)


Absolute stereochemistry.



RN 477951-84-1 CAPLUS

CN Estra-1,3,5(10)-triene-3,15,16,17-tetrol, 2-methoxy-, cyclic
15,16-(1-methylethylidene acetal), (15 β ,16 β ,17 β) - (9CI)
(CA INDEX NAME)


Absolute stereochemistry.



RN 477951-90-9 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-7-methyl-,
(7 α ,17 β) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 477951-70-5P 477951-71-6P 477951-72-7P
477951-73-8P 477951-74-9P 477951-75-0P
477951-79-4P 477951-80-7P 477951-81-8P
477951-82-9P 477951-85-2P 477951-86-3P
477951-87-4P 477951-88-5P 477951-89-6P
477951-91-0P 477951-92-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT

10458286


(Reactant or reagent)

(preparation of alkoxyestradiol analogs with antiproliferative and antimitotic activity)

RN 477951-70-5 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 2-methoxy-3-(phenylmethoxy)-, cyclic 1,2-ethanediyl acetal (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 477951-71-6 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 3-hydroxy-2-methoxy-, cyclic 1,2-ethanediyl acetal (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 477951-72-7 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 3-(acetyloxy)-2-methoxy-, cyclic 17-(1,2-ethanediyl acetal) (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 477951-73-8 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 3-(acetyloxy)-16-bromo-2-methoxy-, cyclic

10458286

17-(1,2-ethanediyl acetal), (16 α)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 477951-74-9 CAPLUS

CN Estra-1,3,5(10),15-tetraen-17-one, 3-(acetyloxy)-2-methoxy-, cyclic 17-(1,2-ethanediyl acetal) (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 477951-75-0 CAPLUS

CN Estra-1,3,5(10),15-tetraen-17-one, 3-hydroxy-2-methoxy- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 477951-79-4 CAPLUS

CN Estra-1,3,5(10),15-tetraene-3,17-diol, 2-methoxy-, diacetate, (17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 477951-80-7 CAPLUS

CN Estra-1,3,5(10)-triene-3,15,16,17-tetrol, 2-methoxy-, 3,17-diacetate,
(17β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 477951-81-8 CAPLUS

CN Estra-1,3,5(10)-triene-3,15,16,17-tetrol, 2-methoxy-, tetraacetate,
(15α,16α,17β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 477951-82-9 CAPLUS

CN Estra-1,3,5(10)-triene-3,15,16,17-tetrol, 2-methoxy-,
(15α,16α,17β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 477951-85-2 CAPLUS

CN Ethanone, 1-[(7 α ,17 β)-17-(acetyloxy)-3-hydroxy-7-methylestra-1,3,5(10)-trien-2-yl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 477951-86-3 CAPLUS

CN Ethanone, 1-[(7 α ,17 β)-17-(acetyloxy)-7-methyl-3-(phenylmethoxy)estra-1,3,5(10)-trien-2-yl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 477951-87-4 CAPLUS

CN Estra-1,3,5(10)-triene-2,17-diol, 7-methyl-3-(phenylmethoxy)-, diacetate, (7 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 477951-88-5 CAPLUS

CN Estra-1,3,5(10)-triene-2,17-diol, 7-methyl-3-(phenylmethoxy)-,
(7 α ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 477951-89-6 CAPLUS

CN Estra-1,3,5(10)-triene-17-ol, 2-methoxy-7-methyl-3-(phenylmethoxy)-,
(7 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 477951-91-0 CAPLUS

CN Estra-1,3,5(10)-triene-3,15,16,17-tetrol, 2-methoxy-, tetraacetate,
(15 β ,16 β ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

10458286



RN 477951-92-1 CAPLUS
CN Estrone-1,3,5(10)-triene-3,15,16,17-tetrol, 2-methoxy-,
(15 β ,16 β ,17 β) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 16 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2002:778714 CAPLUS
DN 137:279370
TI Preparation of 2-methoxyestradiol derivatives as antiangiogenic agents
IN Agoston, Gregory E.; Pribluda, Victor; Treston, Anthony M.; Green, Shawn J.
PA USA
SO U.S. Pat. Appl. Publ., 15 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	US 2002147183	A1	20021010	US 2001-779331	20010208
PRAI	US 2001-779331		20010208		
OS	CASREACT 137:279370; MARPAT 137:279370				
GI					



AB Derivs. of 2-methoxyestradiol of formula I [R1, R4 = H, halo, CN, alkyl, OH, CH2OH, NH2, etc.; R2 = N3, CN, alkynyl, alkenyl, alkoxy, etc.; R3 = H, OH, hydroxyalkyl, etc.; R5 = H, oxo, OH, NOH, etc.; R6, R7 = H, alkyl, alkenyl, alkynyl, etc.; R8 = OH, oxo, NOH, etc.] are prepared for the treatment of mammalian disease characterized by undesirable angiogenesis. Thus, II was prepared from 2-methoxyestradiol, and had IC50 of <0.5 μ M against MDA-MB-231 human breast carcinoma cells.

IT 431901-87-0P 431901-98-3P 431901-99-4P
431902-00-0P 431902-01-1P 431902-02-2P
431902-03-3P 431902-04-4P 431902-05-5P
431902-06-6P 438044-30-5P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of 2-methoxyestradiol derivs. as antiangiogenic agents)

RN 431901-87-0 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-butyl-2-methoxy-,
(16 α ,17 β) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431901-98-3 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-methyl-,
(16 α ,17 β) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10458286

RN 431901-99-4 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-methyl-,
(16 β ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431902-00-0 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-ethyl-2-methoxy-, (17 β)- (9CI)
(CA INDEX NAME)


Absolute stereochemistry.



RN 431902-01-1 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-(hydroxymethyl)-2-methoxy-,
(16 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 431902-02-2 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-(hydroxymethyl)-2-methoxy-,
(16 β ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 431902-03-3 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-propyl-,
(16 α ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 431902-04-4 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-propyl-,
(16 β ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 431902-05-5 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-butyl-2-methoxy-,
(16 β ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 431902-06-6 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 2-methoxy-16-(2-methylpropyl)-, (16 β ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 438044-30-5 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 16-[(dimethylamino)methyl]-2-methoxy-, (16 β ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 431901-79-0P 431901-82-5P 431901-85-8P

464924-28-5P 464924-29-6P 464924-30-9P

464924-31-0P 464924-32-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of 2-methoxyestradiol derivs. as antiangiogenic agents)


RN 431901-79-0 CAPLUS

CN Estra-1,3,5(10)-triene-17-one, 16-(2-butenyl)-2-methoxy-3-(phenylmethoxy)-, (16 α)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.


10458286



RN 431901-82-5 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 2-methoxy-3-(phenylmethoxy)-16-(2-propenyl)-, (16β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 431901-85-8 CAPLUS

CN Estra-1,3,5(10)-trien-17-ol, 16-(2-butenyl)-2-methoxy-3-(phenylmethoxy)-, (16α,17β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.




RN 464924-28-5 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 16-(2-butenyl)-2-methoxy-3-(phenylmethoxy)-, (16β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.


10458286



RN 464924-29-6 CAPLUS

CN Estra-1,3,5(10)-triene-16-carboxylic acid, 2-methoxy-17-oxo-3-(phenylmethoxy)-16-(2-propenyl)-, methyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 464924-30-9 CAPLUS

CN Estra-1,3,5(10)-triene-17-one, 16-[(dimethylamino)methyl]-2-methoxy-3-(phenylmethoxy)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 464924-31-0 CAPLUS

CN Estra-1,3,5(10)-triene-16-carboxylic acid, 2-methoxy-17-oxo-3-(phenylmethoxy)-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 464924-32-1 CAPLUS

CN Estra-1,3,5(10)-triene-16-methanol, 17-hydroxy-2-methoxy-3-(phenylmethoxy)-
, (17β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L14 ANSWER 17 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2002:521687 CAPLUS

DN 137:93613

TI Preparation of phenanthrenes for therapeutic use as estrogen receptor ligands

IN Koehler, Konrad; Henssen, Cecilia; Nilsson, Marita; Gillner, Mikael; Liu, Ye; Sanin, Andrei; Wilkening, Robert R.; Ratcliffe, Ronald W.

PA Karo Bio A.B., Swed.; Merck & Co., Inc.; et al.

SO PCT Int. Appl., 138 pp.

CODEN: PIXXD2

DT Patent



LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002053522	A2	20020711	WO 2001-EP15230	20011224
	WO 2002053522	A3	20040108		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	CA 2433828	AA	20020711	CA 2001-2433828	20011224
	EP 1399406	A2	20040324	EP 2001-272663	20011224
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			

10458286

	JP 2004523508	T2	20040805	JP 2002-554641	20011224
	US 2004127576	A1	20040701	US 2004-250521	20040120
PRAI	GB 2001-163	A	20010104		
	GB 2001-164	A	20010104		
	GB 2001-6434	A	20010315		
	WO 2001-EP15230	W	20011224		
OS	MARPAT 137:93613				
GI					



AB Phenanthrenes, such as I [R1 = H, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl; R1 ≠ Ph; R1, R3 = oxo, thioxo, H, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl; R4, R10a = H, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl; R4a = H, Me, Et, etc.; 1,10-, 1,2-, 2,3-saturated or -unsatd.], were prepared for pharmaceutical use

as estrogen receptor modulators for the treatment or prevention of a variety of conditions related to estrogen functioning including bone loss, bone fractures, osteoporosis, cartilage degeneration, endometriosis, uterine fibroid disease, hot flashes, increased levels of LDL cholesterol, cardiovascular disease, impairment of cognitive functioning, cerebral degenerative disorders, restenosis, gynecomastia, autoimmune disease, vascular smooth muscle cell proliferation, obesity, incontinence, and cancer of the lung, colon, breast, uterus, and prostate. Thus, phenanthrenone II was prepd in five steps starting from MeO-3-C6H4I. The prepared phenanthrenes were assayed for estrogen receptor binding activity with binding affinities for the α - and β -subtypes in the range of IC50 3 to 10,000 nM. Pharmaceutical compns. of the phenanthrenes were also presented.

IT 441330-80-9P 441330-85-4P 441330-86-5P
441330-89-8P 441330-90-1P 441330-94-5P
441330-95-6P 441330-99-0P 441331-01-7P
441331-03-9P 441331-11-9P 441331-13-1P
441331-18-6P 441331-20-0P 441331-26-6P
441331-36-8P 441331-38-0P 441331-71-1P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)


(preparation of phenanthrenes for therapeutic use as selective estrogen receptor modulators)

RN 441330-80-9 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441330-85-4 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-,
(1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441330-86-5 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-,
(1R,4aS,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441330-89-8 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-
methyl-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.

10458286




RN 441330-90-1 CAPLUS
CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1'-butyl-1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-, (1'R,4'aR,10'aR)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.



RN 441330-94-5 CAPLUS
CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-2-methyl-, (1R,2S,4aS,10aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441330-95-6 CAPLUS
CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-2-methyl-, (1R,2R,4aS,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441330-99-0 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-1-(3-methylbutyl)-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-01-7 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-1-(2-phenylethyl)-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-03-9 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-2,10a-dimethyl-1-(3-methylbutyl)-, (1R,2S,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.

10458286




RN 441331-11-9 CAPLUS
CN 3(2H)-Phenanthrenone, 10a-ethyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-,
(4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 441331-13-1 CAPLUS
CN 3(2H)-Phenanthrenone, 10a-ethyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-1-(3-methylbutyl)-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-18-6 CAPLUS
CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-4-phenyl-, (4R,4aS,10aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.

10458286




RN 441331-20-0 CAPLUS
CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-1'-(2-phenylethyl)-, (1'R,4'aR,10'aR)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.



RN 441331-26-6 CAPLUS
CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-1-(3-methylbutyl)-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-36-8 CAPLUS
CN Spiro[cyclobutane-1,3'-(2'H)-phenanthren]-2-one, 1',4',4'a,9',10',10'a-hexahydro-7'-hydroxy-10'a-methyl-, (1R,4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-38-0 CAPLUS

CN Dispiro[1,3-dithiolane-2,1'-cyclobutane-2',3''(2'H)-phenanthren]-7''-ol, 1'',4'',4''a,9'',10'',10''a-hexahydro-10''a-methyl-, (2'R,4''aR,10''aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-71-1 CAPLUS

CN 2(1H)-Phenanthrenone, 3,4,4a,9,10,10a-hexahydro-7-hydroxy-4a-methyl-, (4aR,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



IT 441330-81-0P 441330-87-6P 441330-88-7P
441330-91-2P 441330-96-7P 441330-97-8P
441330-98-9P 441331-00-6P 441331-02-8P
441331-04-0P 441331-05-1P 441331-06-2P
441331-07-3P 441331-08-4P 441331-09-5P
441331-10-8P 441331-12-0P 441331-14-2P
441331-15-3P 441331-16-4P 441331-17-5P
441331-19-7P 441331-21-1P 441331-22-2P
441331-23-3P 441331-24-4P 441331-25-5P
441331-27-7P 441331-28-8P 441331-29-9P
441331-30-2P 441331-31-3P 441331-32-4P
441331-33-5P 441331-34-6P 441331-35-7P

10458286

441331-37-9P 441331-39-1P 441331-41-5P
441331-42-6P 441331-43-7P 441331-44-8P
441331-45-9P 441331-46-0P 441331-48-2P
441331-49-3P 441331-55-1P 441331-62-0P
441331-65-3P 441331-66-4P 441331-69-7P
441331-70-0P 441331-72-2P 441331-73-3P
441331-74-4P 441331-75-5P 441331-76-6P
441348-21-6P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(preparation of phenanthrenes for therapeutic use as selective estrogen
receptor modulators)

RN 441330-81-0 CAPLUS

CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-
hexahydro-, (4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441330-87-6 CAPLUS

CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1'-butyl-
1',4',4'a,9',10',10'a-hexahydro-, (1'R,4'aR,10'aR)-rel- (9CI) (CA INDEX
NAME)

Relative stereochemistry.




RN 441330-88-7 CAPLUS

CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1'-butyl-
1',4',4'a,9',10',10'a-hexahydro-, (1'R,4'aS,10'aS)-rel- (9CI) (CA INDEX
NAME)

Relative stereochemistry.


10458286



RN 441330-91-2 CAPLUS

CN 2-Phenanthrenol, 8-butyl-4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-,
(4bR,8R,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441330-96-7 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-4-methyl-,
(1R,4S,4aS,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441330-97-8 CAPLUS

CN Spiro[1,3-dithiolane-2,3'(2'H)-phenanthren]-7'-ol, 1'-butyl-
1',4',4'a,9',10',10'a-hexahydro-2'-methyl-, (1'R,2'R,4'aS,10'aS)-rel-
(9CI) (CA INDEX NAME)


Relative stereochemistry.

10458286




RN 441330-98-9 CAPLUS
CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1'-butyl-1',4',4'a,9',10',10'a-hexahydro-2'-methyl-, (1'R,2'S,4'aS,10'aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 441331-00-6 CAPLUS
CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-1'-(3-methylbutyl)-, (1'R,4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-02-8 CAPLUS
CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-2,10a-dimethyl-1-(3-methylbutyl)-, (1R,2R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-04-0 CAPLUS

CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-6,6-dimethoxy-8a-methyl-8-(3-methylbutyl)-, (4bR,8R,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-05-1 CAPLUS

CN Spiro[1,3-dioxolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-1'-(3-methylbutyl)-, (1'R,4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-06-2 CAPLUS

CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-8-(3-methylbutyl)-, (4bR,8S,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-07-3 CAPLUS

CN 2-Phenanthrenol, 6-(ethylthio)-4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-8-(3-methylbutyl)-, (4bR,6S,8R,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-08-4 CAPLUS

CN Spiro[1,3-dithiane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-1'-(3-methylbutyl)-, (1'R,4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-09-5 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-10-8 CAPLUS

CN Spiro[1,3-dithiolane-2,3' (2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-, (4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-12-0 CAPLUS

CN Spiro[1,3-dithiolane-2,3' (2'H)-phenanthren]-7'-ol, 10'a-ethyl-1',4',4'a,9',10',10'a-hexahydro-, (4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-14-2 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-1-(3-methylbutyl)-, (1S,4aS,10aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 441331-15-3 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-1-(3-methylbutyl)-, (1R,4aR,10aR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 441331-16-4 CAPLUS

CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 10'a-ethyl-1',4',4'a,9',10',10'a-hexahydro-1'-(3-methylbutyl)-, (1'R,4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-17-5 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-4a,10a-dimethyl-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.

10458286




RN 441331-19-7 CAPLUS
CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-4'-phenyl-, (4'R,4'aS,10'aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 441331-21-1 CAPLUS
CN Spiro[1,3-dioxolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-, (4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-22-2 CAPLUS
CN Spiro[1,3-dioxolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-, (4'aR,10'aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-23-3 CAPLUS

CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-pentyl-,
(4bR,6R,8aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-24-4 CAPLUS

CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-pentyl-,
(4bR,6S,8aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-25-5 CAPLUS

CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-
hexahydro-2',10'a-dimethyl-1'-(3-methylbutyl)-, (1'R,2'S,4'aR,10'aR)-rel-
(9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-27-7 CAPLUS

CN Spiro[1,3-dithiane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-, (4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-28-8 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-hydroxy-4,10a-dimethyl-, (1R,4R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-29-9 CAPLUS

CN Spiro[1,3-dithiolane-2,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-4',10'a-dimethyl-, (4'R,4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-30-2 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-4-(phenylmethyl)-, (4R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-31-3 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-4,4-bis(phenylmethyl)-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-32-4 CAPLUS

CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-methylene-, (4bR,8aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-33-5 CAPLUS

CN Spiro[cyclopropane-1,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-, (4'aR,10'aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-34-6 CAPLUS

CN Spiro[2,4-cyclohexadiene-1,3'-(2'H)-phenanthren]-7'-ol, 2,3,4,5-tetrachloro-1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-, (1R,4'aS,10'aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-35-7 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-[1-(phenylthio)cyclopropyl]-, (4bR,6R,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-37-9 CAPLUS

CN Spiro[cyclobutane-1,3'-(2'H)-phenanthren]-2-one, 1',4',4'a,9',10',10'a-hexahydro-7'-hydroxy-10'a-methyl-, (1R,4'aS,10'aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-39-1 CAPLUS

CN Spiro[cyclobutane-1,3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-, (4'aR,10'aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-41-5 CAPLUS

CN Spiro[furan-2(3H),3'-(2'H)-phenanthren]-7'-ol, 1',4',4'a,5,9',10',10'a-octahydro-10'a-methyl-, (2R,4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-42-6 CAPLUS

CN Spiro[furan-2(3H), 3'(2'H)-phenanthren]-7'-ol, 1',4,4',4'a,5,9',10',10'a-octahydro-10'a-methyl-, (2R,4'aS,10'aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-43-7 CAPLUS

CN Spiro[phenanthrene-3(2H), 2'-[2H]pyran]-7-ol, 1,3',4,4',4a,5',6',9,10,10a-decahydro-10a-methyl-, (2'R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-44-8 CAPLUS

CN Spiro[phenanthrene-3(2H), 2'-[2H]pyran]-7-ol, 1,3',4,4',4a,5',6',9,10,10a-decahydro-10a-methyl-, (2'R,4aS,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-45-9 CAPLUS

CN Spiro[furan-2(3H),3'(2'H)-phenanthren]-7'-ol, 1',4,4',4'a,5,9',10',10'a-octahydro-10'a-methyl-1'-(3-methylbutyl)-, (1'R,2S,4'aR,10'aR)-rel- (9CI)
(CA INDEX NAME)


Relative stereochemistry.



RN 441331-46-0 CAPLUS

CN Spiro[cyclobutane-1,3'(2'H)-phenanthren]-7'-ol, 1',4',4'a,9',10',10'a-hexahydro-10'a-methyl-1'-(3-methylbutyl)-, (1'R,4'aR,10'aR)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.




RN 441331-48-2 CAPLUS

CN Spiro[furan-2(3H),3'(2'H)-phenanthren]-7'-ol, 1',4,4',4'a,5,9',10',10'a-octahydro-10'a-methyl-1'-(3-methylbutyl)-, (1'R,2R,4'aR,10'aR)-rel- (9CI)
(CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-49-3 CAPLUS


CN 2(1H)-Phenanthrenone, 10a-butyl-3,4,4a,9,10,10a-hexahydro-7-hydroxy-4a-methyl-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 441331-55-1 CAPLUS


CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-4b,8-dimethyl- (9CI) (CA INDEX NAME)



RN 441331-62-0 CAPLUS

CN 2(1H)-Phenanthrenone, 1-ethyl-3,4,4a,9,10,10a-hexahydro-7-hydroxy-4a-methyl-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-65-3 CAPLUS

CN 2-Phenanthrenol, 8-butyl-4b,5,6,7,8,8a,9,10-octahydro-4b-methyl-,

10458286

(4bR,8R,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-66-4 CAPLUS

CN 2-Phenanthrenol, 8-butyl-4b,5,6,7,8,8a,9,10-octahydro-4b-methyl-,
(4bR,8S,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-69-7 CAPLUS

CN 2(1H)-Phenanthrenone, 4a-butyl-3,4,4a,9,10,10a-hexahydro-7-hydroxy-,
(4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-70-0 CAPLUS

CN 2(1H)-Phenanthrenone, 4a-butyl-3,4,4a,9,10,10a-hexahydro-7-hydroxy-,
(4aR,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




10458286

RN 441331-72-2 CAPLUS

CN Spiro[1,3-dithiolane-2,2'(1'H)-phenanthren]-7'-ol, 3',4',4'a,9',10',10'a-hexahydro-4'a-methyl-, (4'aR,10'aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-73-3 CAPLUS

CN 2(1H)-Phenanthrenone, 3,4,4a,9,10,10a-hexahydro-7-hydroxy-4a-methyl-, oxime, (4aR,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


Double bond geometry unknown.



RN 441331-74-4 CAPLUS

CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-pentyl-, (4bR,6R,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-75-5 CAPLUS

CN 2-Phenanthrenol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-pentyl-, (4bR,6S,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-76-6 CAPLUS

CN 2(1H)-Phenanthrenone, 1-ethyl-3,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-, (1R,4aS,10aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441348-21-6 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-4-phenyl-, (4R,4aS,10aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 441332-20-3 441332-23-6


RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of phenanthrenes for therapeutic use as selective estrogen receptor modulators)

RN 441332-20-3 CAPLUS

CN 2(1H)-Phenanthrenone, 3,4,4a,9,10,10a-hexahydro-7-methoxy-4a,10a-dimethyl-, (9CI) (CA INDEX NAME)


10458286



RN 441332-23-6 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-10a-methyl-,
(4aR,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



IT 441331-50-6P 441331-83-5P 441331-84-6P
441331-86-8P 441331-96-0P 441331-97-1P
441331-98-2P 441332-10-1P 441332-12-3P
441332-14-5P 441332-18-9P 441332-19-0P
441332-24-7P 441332-25-8P 441332-26-9P
441332-27-0P 441332-31-6P 441332-32-7P
441332-34-9P 441332-35-0P 441332-36-1P
441332-37-2P 441332-38-3P 441332-39-4P
441332-40-7P 441332-41-8P 441332-42-9P
441332-43-0P 441332-44-1P 441332-45-2P
441332-46-3P 441332-47-4P 441332-48-5P
441332-49-6P 441348-22-7P 441348-23-8P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)

(preparation of phenanthrenes for therapeutic use as selective estrogen
receptor modulators)

RN 441331-50-6 CAPLUS

CN 2(1H)-Phenanthrenone, 10a-butyl-3,4,4a,9,10,10a-hexahydro-7-methoxy-4a-
methyl-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-83-5 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-methoxy-,

10458286

(1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-84-6 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-methoxy-,
(1R,4aS,10aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-86-8 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-methoxy-10a-
methyl-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441331-96-0 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-methoxy-2-methyl-,
(1R,2S,4aS,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441331-97-1 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-methoxy-2-methyl-, (1R,2R,4aS,10aS)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441331-98-2 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-7-methoxy-4-methyl-, (1R,4S,4aS,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441332-10-1 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-2,10a-dimethyl-1-(3-methylbutyl)-7-(phenylmethoxy)-, (1R,2R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441332-12-3 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-2,10a-dimethyl-1-(3-methylbutyl)-7-(phenylmethoxy)-, (1R,2S,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-14-5 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-10a-methyl-1-(3-methylbutyl)-7-(phenylmethoxy)-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441332-18-9 CAPLUS

CN 3(2H)-Phenanthrenone, 10a-ethyl-1,4,4a,9,10,10a-hexahydro-1-(3-methylbutyl)-7-(phenylmethoxy)-, (1R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441332-19-0 CAPLUS

CN 2(1H)-Phenanthrenone, 3,4,4a,9,10,10a-hexahydro-7-methoxy-4a,10a-dimethyl-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-24-7 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-10a-methyl-7-(phenylmethoxy)-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441332-25-8 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-10a-methyl-7-(phenylmethoxy)-, (4aR,10aS)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441332-26-9 CAPLUS

CN 3-Phenanthrenol, 1,2,3,4,4a,9,10,10a-octahydro-10a-methyl-3-pentyl-7-(phenylmethoxy)-, (3R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-27-0 CAPLUS

CN 3-Phenanthrenol, 1,2,3,4,4a,9,10,10a-octahydro-10a-methyl-3-pentyl-7-(phenylmethoxy)-, (3R,4aS,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441332-31-6 CAPLUS

CN 3(2H)-Phenanthrenone, 1-butyl-1,4,4a,9,10,10a-hexahydro-4,10a-dimethyl-7-(phenylmethoxy)-, (1R,4R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441332-32-7 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-7-hydroxy-4,10a-dimethyl-, (4R,4aR,10aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-34-9 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-10a-methyl-7-(phenylmethoxy)-4,4-bis(phenylmethyl)-, (4aR,10aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441332-35-0 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-[1-(phenylsulfinyl)cyclopentyl]-, (4bR,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441332-36-1 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-[3-(phenylmethoxy)propyl]-, (4bR,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-37-2 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-6-(3-hydroxypropyl)-8a-methyl-, (4bR,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441332-38-3 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-[3-[[[4-methylphenyl)sulfonyl]oxy]propyl]-, (4bR,6R,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441332-39-4 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-[3-[[4-methylphenyl)sulfonyl]oxy]propyl]-, (4bR,6S,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-40-7 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-6-(4-hydroxybutyl)-8a-methyl-, (4bR,6R,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




10458286

RN 441332-41-8 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-6-(4-hydroxybutyl)-8a-methyl-, (4bR,6S,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-42-9 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-[4-[[[4-methylphenyl)sulfonyl]oxy]butyl]-, (4bR,6R,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441332-43-0 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-6-[4-[[[4-methylphenyl)sulfonyl]oxy]butyl]-, (4bR,6S,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.


10458286



RN 441332-44-1 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-8-(3-methylbutyl)-6-[3-(phenylmethoxy)propyl]-, (4bR,6S,8R,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-45-2 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-6-(3-hydroxypropyl)-8a-methyl-8-(3-methylbutyl)-, (4bR,6S,8R,8aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 441332-46-3 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-8-(3-methylbutyl)-6-[3-[[4-methylphenylsulfonyl]oxy]propyl]-, (4bR,6S,8R,8aR)-rel- (9CI) (CA INDEX NAME)

10458286


Relative stereochemistry.



RN 441332-47-4 CAPLUS

CN 2,6-Phenanthrenediol, 4b,5,6,7,8,8a,9,10-octahydro-8a-methyl-8-(3-methylbutyl)-6-[1-(phenylthio)cyclopropyl]-, (4bR,6S,8R,8aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441332-48-5 CAPLUS

CN Spiro[cyclobutane-1,3'(2'H)-phenanthren]-2-one, 1',4',4'a,9',10',10'a-hexahydro-7'-hydroxy-10'a-methyl-1'-(3-methylbutyl)-, (1'R,4'aR,10'aR)-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




10458286

RN 441332-49-6 CAPLUS

CN Dispiro[1,3-dithiolane-2,1'-cyclobutane-2',3''(2''H)-phenanthren]-7'''-ol,
1'',4'',4''a,9'',10'',10''a-hexahydro-10''a-methyl-1''-(3-methylbutyl)-,
(1''R,4''aR,10''aR)-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 441348-22-7 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-10a-methyl-1-(3-methylbutyl)-7-(phenylmethoxy)-, (1S,4aS,10aS)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 441348-23-8 CAPLUS

CN 3(2H)-Phenanthrenone, 1,4,4a,9,10,10a-hexahydro-10a-methyl-1-(3-methylbutyl)-7-(phenylmethoxy)-, (1R,4aR,10aR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L14 ANSWER 18 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2002:122822 CAPLUS

DN 136:161698

TI Combination preparation with an ER β selective estrogen and a SERM or antiestrogen

10458286

IN Fritzemeier, Karl-Heinrich; Kollenkirchen, Uwe; Hegele-Hartung, Christa
 PA Schering Aktiengesellschaft, Germany
 SO PCT Int. Appl., 33 pp.
 CODEN: PIXXD2
 DT Patent
 LA German
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002011765	A1	20020214	WO 2001-EP9008	20010803
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	DE 10039199	A1	20020221	DE 2000-10039199	20000810
	AU 2001093720	A5	20020218	AU 2001-93720	20010803
	EP 1307229	A1	20030507	EP 2001-974107	20010803
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	JP 2004505929	T2	20040226	JP 2002-517099	20010803
	US 2004053898	A1	20040318	US 2003-344161	20030926
PRAI	DE 2000-10039199	A	20000810		
	WO 2001-EP9008	W	20010803		


AB A novel medicament for the treatment of estrogen-deficient disease states is disclosed. Said medicament is a combination preparation comprising an ER β -selective estrogen and an ER α -selective antiestrogen or SERM (Selective Estrogen Receptor Modulator). The antiestrogen or SERM which is a component of the combination preparation is preferably selective for the periphery. The preparation is suitable for an organ-specific estrogen therapy and has clear advantages over conventional therapies. Due to the combination of ER α -selective SERM and ER β -estrogen the preparation permits a complete protection against bone loss caused by estrogen deficiency. The components of the medicament also have a synergistic effect with respect to the inhibition of inflammation inducing genes, in particular in inflammatory disorders such as atherosclerosis and arthritis, or neurodegenerative diseases such as Alzheimers and multiple sclerosis. Furthermore, pos. effects on cognition and mood may be expected. The protective estrogen-like effects are achieved, with no expectation of proliferation effects on breasts or uterus.

IT 397872-24-1D, Estra-1,3,5(10)-triene-3,16-diol, derivs.
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (combination preparation with an ER β selective estrogen and a SERM or antiestrogen)

RN 397872-24-1 CAPLUS

CN Estra-1,3,5(10)-triene-3,16-diol (9CI) (CA INDEX NAME)

Absolute stereochemistry.






10458286

RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 19 OF 19 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2001:763027 CAPLUS
DN 135:318608
TI Preparation of 8 β -hydrocarbyl-substituted estratrienes for use as
selective estrogens
IN Peters, Olaf; Hillisch, Alexander; Thieme, Ina; Elger, Walter;
Hegele-Hartung, Christa; Kollenkirchen, Uwe; Fritzemeier, Karl-Heinrich;
Patchev, Vladimir
PA Schering Aktiengesellschaft, Germany
SO PCT Int. Appl., 90 pp.
CODEN: PIXXD2
DT Patent
LA German
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	WO 2001077139	A1	20011018	WO 2001-EP4290	20010412
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
	CR, CU, CZ, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,				
	ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,				
	LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD,				
	SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU,				
	ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,				
	DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,				
	BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	DE 10019167	A1	20011018	DE 2000-10019167	20000412
	CA 2406177	AA	20011018	CA 2001-2406177	20010412
	EP 1272504	A1	20030108	EP 2001-931609	20010412
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				
	IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	BR 2001009983	A	20030225	BR 2001-9983	20010412
	JP 2003534248	T2	20031118	JP 2001-575609	20010412
	EE 200200589	A	20040415	EE 2002-589	20010412
	BG 107173	A	20030530	BG 2002-107173	20021008
	NO 2002004908	A	20021113	NO 2002-4908	20021011
	US 2003176405	A1	20030918	US 2003-257288	20030401
PRAI	DE 2000-10019167	A	20000412		
	US 2000-207370P	P	20000526		
	WO 2001-EP4290	W	20010412		
OS	MARPAT 135:318608				
GI					



AB The invention relates to novel 8β -substituted estratrienes I [$R_2 = H$, halogen, straight or branched (un)saturated C1-6-alkyl, alkoxy, CF_3 , sulfonamide; $R_3 =$ alkoxy, sulfonamide, acyloxy; $R_6, R_7 = H$; $R_6R_7 =$ bond; $R_6', R_7' = H$, halogen, alkoxy, sulfonamide; $R_8 =$ a straight- or branched-chained, optionally partially or completely halogenated C1-5-alkyl, alkenyl, ethynyl, prop-1-ynyl; $R_9 = H$, straight or branched (un)saturated C1-5-alkyl; $R_9R_{11} =$ bond; $R_{11} = H$; $R_{11}R_{12} =$ bond; $R_{11}' = H$, halogen, a straight- or branched-chained, optionally partially or completely fluoro- or chloro-C1-4-alkyl, alkoxy, alkylthio; $R_{12} = H$; $R_{14} = H$; $R_{14}R_{15} =$ bond; $R_{15} = H$; $R_{15}R_{16} =$ bond; $R_{15}', R_{16}' = H$, halogen, alkoxy, sulfonamid; $R_{16} = H$; $R_{17}, R_{17}' = H$, H and halogen, H and OCH_2Ph , H and sulfonamide, alkyl and acyl or acyloxy, alkoxy and alkyl, alkoxy and acyloxy; $R_{17}R_{17}' = :CH_2, :CR_{24}R_{25}$; $R_{24}, R_{25} =$ halogen; $R_{24}R_{25} = O$]. Thus, vinylestradiol II was prepared from estra-1,3,5(10)-tetraenone III in 8 steps. The inventive estratrienes are used as pharmaceutically active substances that have in vitro a higher affinity to estrogen receptor preps. of rat prostate than to estrogen receptor preps. of rat uterus and which in vivo preferably have a preferential effect on bone material as compared to uterus and/or a pronounced effect with respect to the stimulation of the expression of 5HT_{2a} receptor and transporter. II⁻ showed a relative binding affinity for the estrogen receptor of 1 in rat uterus and of 83 in rat prostate. The invention further relates to the production of these novel compds., to their use in therapy and to the pharmaceutical forms of administration that contain said novel compds. The invention further describes the use of said compds. for treating estrogen-deficiency related diseases and conditions and to the use of an 8β -substituted estratriene structural part in the overall structures of compds. that are characterized by a dissociation in favor of their estrogen effect on the bone as compared to the uterus.

IT 367264-79-7P 367264-81-1P 367264-83-3P
 367264-92-4P 367929-02-0P 367929-03-1P
 367929-08-6P, 8β -Ethyl- 9β -estra-1,3,5(10)-triene-
 3,17 β -ol 367929-16-6P 367929-17-7P
 367929-18-8P 367929-19-9P 367929-20-2P
 367929-21-3P 367929-22-4P 367929-23-5P
 367929-24-6P 367929-25-7P 367929-26-8P
 367929-27-9P 367929-28-0P 367929-29-1P

10458286

367929-30-4P 367929-31-5P 367929-32-6P
367929-33-7P 367929-34-8P, 8 β -Vinyl-9 β -estra-
1,3,5(10)-triene-3,17 β -diol


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of 8 β -hydrocarbyl-substituted estratrienes for use as selective estrogens)

RN 367264-79-7 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethenyl-, 3-sulfamate, (17 β)-
(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 367264-81-1 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-(2,2-difluoroethenyl)-, (17 β)-
(9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 367264-83-3 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-(1Z)-1-propenyl-, (17 β)- (9CI)
(CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.


10458286



RN 367264-92-4 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-(1E)-1-propenyl-, (17β)- (9CI)
(CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry as shown.



RN 367929-02-0 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethenyl-, (17β)- (9CI) (CA INDEX
NAME)

Absolute stereochemistry.




RN 367929-03-1 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethyl-, (17β)- (9CI) (CA INDEX
NAME)


Absolute stereochemistry.

10458286




RN 367929-08-6 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethyl-, (9 β ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 367929-16-6 CAPLUS
CN Estra-1,3,5(10)-trien-17-ol, 8-(2,2-difluoroethenyl)-3-methoxy-, (17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 367929-17-7 CAPLUS
CN Estra-1,3,5(10)-trien-17-ol, 8-ethyl-3-methoxy-, (17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 367929-18-8 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethenyl-, disulfamate, (17β)-
(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 367929-19-9 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethenyl-, 3-(acetylsulfamate),
(17β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 367929-20-2 CAPLUS

CN Estra-1,3,5(10)-triene-17-one, 3-[(aminosulfonyl)oxy]-8-ethenyl- (9CI) (CA
INDEX NAME)

Absolute stereochemistry.


10458286



RN 367929-21-3 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 3-(acetyloxy)-8-ethenyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 367929-22-4 CAPLUS

CN Estra-1,3,5(10)-triene-3,16,17-triol, 8-ethenyl-, (16 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 367929-23-5 CAPLUS

CN Estra-1,3,5(10)-triene-3,16,17-triol, 8-ethenyl-, 3-sulfamate, (16 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 367929-24-6 CAPLUS

CN Estra-1,3,5(10)-trien-17-one, 3-[(aminosulfonyl)oxy]-8-methyl- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 367929-25-7 CAPLUS

CN Estra-1,3,5(10)-triene-3,16,17-triol, 8-methyl-, (16 α ,17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 367929-26-8 CAPLUS

CN Estra-1,3,5(10)-triene-3,17-diol, 8-propyl-, (17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

10458286




RN 367929-27-9 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethynyl-, (17 β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 367929-28-0 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 16-fluoro-8-methyl-, (16 α ,17 β)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 367929-29-1 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 8-methyl-, (17 α)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10458286



RN 367929-30-4 CAPLUS

CN Estr-1,3,5(10)-triene-3,17-diol, 8-ethenyl-, diacetate, (17 β)- (9CI)
 (CA INDEX NAME)


Absolute stereochemistry.



RN 367929-31-5 CAPLUS

CN Estr-1,3,5(10)-triene-3,17-diol, 8-methyl-, diacetate, (17 β)- (9CI)
 (CA INDEX NAME)

Absolute stereochemistry.




RN 367929-32-6 CAPLUS

CN Estr-1,3,5(10)-triene-3,17-diol, 8-ethenyl-, 17-pentanoate, (17 β)-
(9CI) (CA INDEX NAME)


Absolute stereochemistry.

10458286




RN 367929-33-7 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethenyl-, 17-acetate, (17β)-
(9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 367929-34-8 CAPLUS
CN Estra-1,3,5(10)-triene-3,17-diol, 8-ethenyl-, (9β,17β)- (9CI)
(CA INDEX NAME)


Absolute stereochemistry.



IT 367264-73-1P 367264-74-2P 367264-75-3P
367264-80-0P 367264-82-2P 367264-91-3P
367279-41-2P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(preparation of 8β-hydrocarbyl-substituted estratrienes for use as
selective estrogens)
RN 367264-73-1 CAPLUS
CN Estra-1,3,5(10)-triene-8-carboxaldehyde, 3-methoxy-17-[(tetrahydro-2H-
pyran-2-yl)oxy]-, (17β)- (9CI) (CA INDEX NAME)

10458286


Absolute stereochemistry.



RN 367264-74-2 CAPLUS

CN 2H-Pyran, 2-[[[(17 β)-8-ethenyl-3-methoxyestra-1,3,5(10)-trien-17-yl]oxy]tetrahydro- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 367264-75-3 CAPLUS

CN 2H-Pyran, 2-[[[(17 β)-8-ethyl-3-methoxyestra-1,3,5(10)-trien-17-yl]oxy]tetrahydro- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




10458286

RN 367264-80-0 CAPLUS

CN 2H-Pyran, 2-[[[(17 β)-8-(2,2-difluoroethenyl)-3-methoxyestra-1,3,5(10)-trien-17-yl]oxy]tetrahydro- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 367264-82-2 CAPLUS

CN 2H-Pyran, tetrahydro-2-[[[(17 β)-3-methoxy-8-(1Z)-1-propenylestra-1,3,5(10)-trien-17-yl]oxy]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.




RN 367264-91-3 CAPLUS

CN 2H-Pyran, tetrahydro-2-[[[(17 β)-3-methoxy-8-(1E)-1-propenylestra-1,3,5(10)-trien-17-yl]oxy]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.


10458286



RN 367279-41-2 CAPLUS

CN Estra-1,3,5(10)-triene-8-carbonitrile, 11-hydroxy-3-methoxy-17-
 [(tetrahydro-2H-pyran-2-yl)oxy]-, (17β)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT